



PROPOSED	EXISTING	
4650	4650	MAJOR CONTOUR
4649	4649	MINOR CONTOUR
		BUILDING/STRUCTURE
		CURB, GUTTER
		PROPERTY LINE
		STORMDRAIN INLET
		STORMDRAIN COMBINATION BOX
		STORMDRAIN MANHOLE
		DOWNSPOUT CONNECTION
		ROOF DRAIN
		CLEANOUT
		GRADE BREAK LINE/CONVERGENCE POINT
		100 YR. STORM WATER SURFACE


- KEY TAGS:
- TRANSITION FROM 6" CURB TO FLUSH (LOWBACK) OVER 24" OR NEAREST P.C. UNLESS PARALLEL TO ADA RAMP; TRANSITION TO FOLLOW RAMP SLOPE AT ADA RAMP.
 - LOWBACK CURB, INSTALL TRUNCATED DOMES PER ADA REQUIREMENTS ALONG ENTIRE PORTION OF LOWBACK CURB.
 - ADA LANDING: SLOPE TO BE LESS THAN 2% IN ANY DIRECTION; WIDTH TO BE AT LEAST AS WIDE AS WIDEST ADJACENT RAMP OR SIDEWALK; LENGTH TO BE 60" MIN.
- SURVEY NOTES:
- SITE SURVEY PERFORMED BOSS ENGINEERING
 - HORIZONTAL DATUM: XXXX
 - VERTICAL DATUM: XXXX
 - LOCATED ZONE X & ZONE AE FLOOD AREA PER FEMA MAP #18063C0286D. FEMA MAP PANEL #286 OF 375. EFFECTIVE DATE: 9/25/2009

Preliminary
 02/23/2018 2:52:52 PM




Rev.	Date	Comment

DRAWN BY: BMA
 DESIGN BY: BMA
 ORIG. ISSUE DATE:



2/23/2018 2:42:40 PM



GRADING
 PLAN
C300