


- ### GENERAL NOTES
- THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING AND VERIFYING THAT ALL PERMITS AND APPROVALS ARE OBTAINED FROM THE RESPECTIVE CITY, COUNTY, STATE AND FEDERAL AGENCIES PRIOR TO STARTING CONSTRUCTION.
 - CONTRACTOR SHALL VERIFY LOCATION AND INVERT ELEVATIONS OF EXISTING SEWERS PRIOR TO START OF CONSTRUCTION.
 - CONTRACTOR SHALL MAINTAIN A COMPLETE AND OPERABLE UTILITY SYSTEM AT ALL TIMES.
 - CONTRACTOR SHALL INCLUDE COSTS FOR CUTTING AND PATCHING WORK INDICATED.
 - CONTRACTOR SHALL INCLUDE ALL LAP FEES, PERMIT FEES AND APPLICATION FEES IN THEIR BID PROPOSAL AS NECESSARY TO COMPLETELY INSTALL THE WORK INDICATED.
 - INFORMATION SHOWN WAS OBTAINED FROM AN OWNER FURNISHED SITE SURVEY OF EXISTING CONDITIONS AND IS UNCORRECTED. CONTRACTOR IS REQUIRED TO FIELD VERIFY THIS INFORMATION AND NOTIFY ARCHITECT OF ANY DISCREPANCIES SO MODIFICATION CAN BE MADE.
 - CONTRACTOR SHALL COORDINATE EXACT UTILITY LOCATIONS WITH THE OWNER AND LOCAL UTILITY COMPANIES PRIOR TO COMMENCING ANY WORK. UTILIZE THE INDIANA UNDERGROUND UTILITY LOCATION SERVICE AT 811 OR 800-382-5544 PRIOR TO ANY EXCAVATION ON THE SITE.

STRUCTURE SCHEDULE

MARK	INVERT		CASTING		STRUCTURE
	INLET	OUTLET	ELEVATION	TYPE	
STR-1	765.54	765.44	770.00	R-1642	STORM MANHOLE
STR-2	765.49	765.49	770.00	R-1642	STORM BMP
STR-3	766.74	766.64	771.40	R-3287-10	STORM INLET
STR-4	767.44	767.44	770.75	R-3287-10	STORM INLET
STR-5	767.67	767.67	770.50	R-3287-10	STORM INLET
STR-6	767.80	767.80	770.50	R-3287-10	STORM INLET
STR-7	766.96	766.96	770.50	R-3287-10	STORM INLET
STR-8	766.72	766.72	770.80	R-1642	STORM INLET
STR-9	766.94	766.94	770.00	R-3287-10	STORM INLET
STR-10		767.37	770.00	R-3287-10	STORM INLET
STR-11		767.79	770.80	R-3287-10	STORM INLET



SITE UTILITY PLAN

SCALE: 1" = 20'

DATE: JAN 25, 2019

PROJECT #: 18JPCS57

DRAWN: CLM

COORD: ADS

APPROVED: ADS

C300



NUMBER	DATE	DESCRIPTION

TOWN SUBMITTAL

PLAINFIELD ORTHODONTICS CLINIC
 419 DAN JONES ROAD
 PLAINFIELD, IN 46168

JPS CONSULTING ENGINEERS, LLC
 9365 Counselors Row, Suite 116
 Indianapolis, IN 46240
 ph 317.617.4270
 www.jpsconsultingengineers.com