


GENERAL NOTES

- A. REFER TO UTILITY DETAILS FOR NOTE REFERENCES.
- B. ALL CASTINGS SHALL HAVE THE WORDS "NO DUMPING DRAINS TO STREAM" CAST IN BASED OR RECESSED LETTERS AT A MINIMUM OF 1" HEIGHT. A SYMBOL OF A FISH SHALL ALSO BE CAST WITH THE LETTERS.
- C. CONTRACTOR SHALL VERIFY ALL UTILITIES FOR APPROVED EQUAL.
- D. CONTRACTOR TO VERIFY LOCATIONS AND ELEVATIONS OF EXISTING UTILITIES PRIOR TO THE START OF CONSTRUCTION.

PLAN NOTES

- 1. CONTRACTOR TO FIELD VERIFY EXISTING STORM SEWER LOCATION, ELEVATION AND SIZE.
- 2. COORDINATE SIZE, LOCATION AND ELEVATION OF PIPING WITH PLUMBING PLANS.
- 3. NEW EXTERIOR CLEANOUT.
- 4. WATER AND SEWER CROSSING, MINIMUM 18" CLEARANCE OR USE CONCRETE GRADE.
- 5. NEW WATER 4" LINE.
- 6. NEW 6" FIRE PROTECTION LINE.
- 7. NEW 6" WATER MAIN LINE.
- 8. NEW 6" SANITARY SEWER (RWS) @ 2.5%.
- 9. NEW ELECTRICAL LINE.
- 10. NEW WATER VAULT.
- 11. NEW TRANSFORMER.
- 12. NEW SC-740 UNDERGROUND DETENTION CHAMBER SYSTEM BY ADS BOTTOM OF CHAMBER INVERT = 766.50 TOP OF CHAMBERS = 769.00.
- 13. NEW GAS LINE.
- 14. NEW FIRE HYDRANT.
- 15. INLET SUBSURFACE DRAIN.
- 16. NEW GAS METER.
- 17. NEW SANITARY SEWER MANHOLE INVERT IN = 765.9 INVERT OUT = 765.8.



SITE UTILITY PLAN

SCALE: 1" = 20'

DATE: JAN 25, 2019

PROJECT #: 18JPCS57

DRAWN: CLM

COORD: ADS

APPROVED: ADS

C400



NUMBER	DATE	DESCRIPTION

TOWN SUBMITTAL

PLAINFIELD ORTHODONTICS CLINIC

419 DAN JONES ROAD

PLAINFIELD, IN 46168

JPS CONSULTING ENGINEERS, LLC

9365 Counselors Row, Suite 116

Indianapolis, IN 46240

ph 317.617.4270

www.jpsconsultingengineers.com